

STATE FILE COPY

**NATIONAL REGISTER OF HISTORIC PLACES
INVENTORY - NOMINATION FORM**

(Type all entries - complete applicable sections)

STATE: Missouri	
COUNTY: Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

1. NAME

COMMON:
Ozark Iron Furnace Stack

AND/OR HISTORIC:
Ozark Iron Works

2. LOCATION

STREET AND NUMBER:
SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 21, Township 37N - Range 9W, SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 20, 37N, 9W

CITY OR TOWN:
Two miles west of Newburg on County Highway P, 1/2 mile north on dirt road

STATE Missouri	CODE 65550	COUNTY: Phelps	CODE 24
-------------------	---------------	-------------------	------------

3. CLASSIFICATION

CATEGORY (Check One)	OWNERSHIP	STATUS	ACCESSIBLE TO THE PUBLIC
<input type="checkbox"/> District <input type="checkbox"/> Building <input type="checkbox"/> Site <input checked="" type="checkbox"/> Structure <input type="checkbox"/> Object	<input type="checkbox"/> Public <input checked="" type="checkbox"/> Private <input type="checkbox"/> Both	Public Acquisition: <input type="checkbox"/> In Process <input type="checkbox"/> Being Considered	<input type="checkbox"/> Occupied <input checked="" type="checkbox"/> Unoccupied <input type="checkbox"/> Preservation work in progress
PRESENT USE (Check One or More as Appropriate)			
<input type="checkbox"/> Agricultural <input type="checkbox"/> Commercial <input type="checkbox"/> Educational <input type="checkbox"/> Entertainment	<input type="checkbox"/> Government <input type="checkbox"/> Industrial <input type="checkbox"/> Military <input type="checkbox"/> Museum	<input type="checkbox"/> Park <input type="checkbox"/> Private Residence <input type="checkbox"/> Religious <input type="checkbox"/> Scientific	<input type="checkbox"/> Transportation <input type="checkbox"/> Other (Specify) _____ <input checked="" type="checkbox"/> Comments not in use

4. OWNER OF PROPERTY

OWNER'S NAME:
Dr. Richard E. Myers

STREET AND NUMBER:
901 Fairground Road

CITY OR TOWN: Rolla	STATE: Missouri	CODE 65401
------------------------	--------------------	---------------

5. LOCATION OF LEGAL DESCRIPTION

COURTHOUSE, REGISTRY OF DEEDS, ETC.:
Office of Recorder of Deeds, Phelps County Courthouse

STREET AND NUMBER:

CITY OR TOWN: Rolla	STATE: Missouri	CODE 65401
------------------------	--------------------	---------------

6. REPRESENTATION IN EXISTING SURVEYS

TITLE OF SURVEY:
Missouri Historic Sites Catalogue

DATE OF SURVEY: 1963 Federal State County Local

DEPOSITORY FOR SURVEY RECORDS:
State Historical Society of Missouri

STREET AND NUMBER:
Corner, Hitt and Lowry streets

CITY OR TOWN: Columbia	STATE: Missouri	CODE 65201
---------------------------	--------------------	---------------

SEE INSTRUCTIONS

STATE: Missouri
COUNTY: Phelps
ENTRY NUMBER
DATE

FOR NPS USE ONLY

7. DESCRIPTION

CONDITION	(Check One)					
	<input type="checkbox"/> Excellent	<input type="checkbox"/> Good	<input checked="" type="checkbox"/> Fair	<input type="checkbox"/> Deteriorated	<input type="checkbox"/> Ruins	<input type="checkbox"/> Unexposed
	(Check One)			(Check One)		
	<input checked="" type="checkbox"/> Altered	<input type="checkbox"/> Unaltered		<input type="checkbox"/> Moved	<input checked="" type="checkbox"/> Original Site	

DESCRIBE THE PRESENT AND ORIGINAL (If known) PHYSICAL APPEARANCE

The Ozark Iron Furnace Stack, which is pyramidal in form, is constructed of hard, compact, fine-grained sandstone blocks. The stack is approximately 40 feet high, faces east, and is built on a solid rock foundation at the base of the north bluff of the Little Piney River. This river, which flows west to east, is located about $\frac{1}{4}$ mile south of the furnace. Located about 50 feet south of the furnace is the St. Louis - San Francisco Railroad.

There are three "gothic" arch openings on the furnace base on the east, north and south sides. The east opening is 12 feet wide and 15 feet high and is normally referred to as the "casting arch." After the melting process, the molten iron flowed from this opening. The north and south arches, both 5 feet wide and 10 feet high and commonly called the "tuyere arches," were used to conduct the hot-blast into the furnace to fire the iron ore, charcoal, and flux.

The sandstone blocks which form the exterior sides of the furnace stack are approximately 2 feet in height with varying width dimensions. The keystone block over the casting arch, on the east side is inscribed as follows: "Ozark Iron _____ (word undiscernible) 1873 J. Allison Builder."

The interior of the furnace stack is circular in shape and tapers inward toward a circular opening at the top, forming an inverted cone. The interior base of the stack is constructed of large irregular sandstone blocks, whereas the blocks near the top of the stack are more regular in shape and form. Portions of the original firebrick inwall still remain. As with similar iron furnaces of the period, the Ozark Furnace Stack's firebrick inwall probably lined the entire space from the base of the furnace to the top. This inwall protected the sandstone blocks from the intense heat produced during each firing of the furnace.

Directly to the west (rear) of the furnace stack is a stone structure similar to the stack in height, material and shape. The function of this structure has not definitely been determined at this time. However, it is believed to have supported the boilers and hot-blast heating chamber equipment of the furnace operation. (Arthur B. Cozzens, "The Iron Industry in Missouri," Missouri Historical Review, 36:48-60, October 1941.) Unlike the furnace stack, this stone structure does not have the three gothic arch openings, nor the opening at the top. Its north side is built directly into the bluff which increased the amount of level space available on its top.

West of the stone structure or pier, the surface of the bluff is terraced into a series of descending levels. Archaeological investigations in this area could prove most valuable in determining the function of each terrace level.

SEE INSTRUCTIONS

2. SIGNIFICANCE

PERIOD (Check One or More as Appropriate)

- Pre-Columbian | 16th Century | 18th Century | 20th Century
 15th Century | 17th Century | 19th Century

SPECIFIC DATE(S) (If Applicable and Known)

1872 - 1877

AREAS OF SIGNIFICANCE (Check One or More as Appropriate)

- | | | | |
|---|--|---|--|
| <input type="checkbox"/> Aboriginal | <input type="checkbox"/> Education | <input type="checkbox"/> Political | <input type="checkbox"/> Urban Planning |
| <input type="checkbox"/> Prehistoric | <input type="checkbox"/> Engineering | <input type="checkbox"/> Religion/Phi- | <input type="checkbox"/> Other (Specify) |
| <input type="checkbox"/> Historic | <input checked="" type="checkbox"/> Industry | osophy | _____ |
| <input type="checkbox"/> Agriculture | <input type="checkbox"/> Invention | <input type="checkbox"/> Science | _____ |
| <input type="checkbox"/> Architecture | <input type="checkbox"/> Landscape | <input type="checkbox"/> Sculpture | _____ |
| <input type="checkbox"/> Art | Architecture | <input type="checkbox"/> Social/Human- | _____ |
| <input type="checkbox"/> Commerce | <input type="checkbox"/> Literature | itarian | _____ |
| <input type="checkbox"/> Communications | <input type="checkbox"/> Military | <input type="checkbox"/> Theater | _____ |
| <input type="checkbox"/> Conservation | <input type="checkbox"/> Music | <input type="checkbox"/> Transportation | _____ |

STATEMENT OF SIGNIFICANCE

The Ozark Iron Furnace Stack is significant as an example of the improvements made in Missouri's charcoal iron industry during the late 19th century. This former iron works was strategically located near transportation routes rather than adjacent to its ore supply as previous iron works had been. Constructing this furnace 50 feet from the Atlantic and Pacific Railroad (now the St. Louis - San Francisco) main line facilitated shipment of raw ore to the iron works and eliminated the high cost of hauling finished iron products to distant markets by slow-moving wagons and carts.

The Ozark Iron Works was constructed in 1873 by William James, son of Thomas James, founder of the Maramec Iron Works (1872-1876). The Maramec Iron Works was located 20 miles northeast of the Ozark works and was the first large-scale iron industry in Missouri.

William James formed the Ozark Iron Company in 1872 in an effort to capitalize on the profits made by the Maramec works during the Civil War. (James Norris, Frontier Iron, The Maramec Iron Works, 1826-1876, 1964, p. 164.) However, the panic of 1873 and the subsequent fall in the price of iron continually plagued the operation of the Ozark Company.

J.W. Allison of Sullivan, Missouri, was contracted by William James to build the Ozark Furnace. (William James to J.W. Allison, June 28, 1873, in Letter Book, Volume 185 in the James Collection, Western Historical Manuscripts.) The furnace was built to run on the hot-blast system, a more efficient process of smelting iron ore than the earlier cold-blast method used at Maramec. Charcoal for the fuel was obtained from the 8,000 acres of company-owned land surrounding the works. (Norris, 1964, p. 165.) Flux was mined locally and the Little Piney River to the south of the furnace supplied sand for the casting beds. Ore was obtained primarily from the Beaver and Hancock banks located in Phelps County, not far from the furnace.

The Ozark furnace produced about 30 tons of pig iron per day. (Norris, 1964, p. 167.) Three months after the furnace was "blown-in" a fire destroyed a large part of the furnace and thus halted its

SEE INSTRUCTIONS

9. MAJOR BIBLIOGRAPHICAL REFERENCES

1. Cozzens, Arthur B. "The Iron Industry in Missouri," Missouri Historical Review, Vol. 36. (October 1941) pp. 48-60; continuation of 35 (July 1941) pp. 509-533. Columbia, Missouri: State Historical Society of Missouri.
2. Lucy Wortham James Collection, (1801-1898), Western Manuscripts Collection, University of Missouri, Columbia, Missouri, Vol. 185; Folders 635-947 (Ozark Store Orders); 1237-1240 (Maps 1872-1873); 1254 (Legal Papers).

10. GEOGRAPHICAL DATA

LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY				O R	LATITUDE AND LONGITUDE COORDINATES DEFINING THE CENTER POINT OF A PROPERTY OF LESS THAN TEN ACRES				
CORNER	LATITUDE				LONGITUDE				
	Degrees	Minutes	Seconds	Degrees	Minutes	Seconds	Degrees	Minutes	Seconds
NW	37°	54'	58"	91°	55'	58"			
NE	37°	54'	59"	91°	55'	46"			
SE	37°	54'	54"	91°	55'	46"			
SW	37°	54'	54"	91°	55'	58"			

APPROXIMATE ACREAGE OF NOMINATED PROPERTY: 14.3 acres

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE:	CODE	COUNTY	CODE
STATE:	CODE	COUNTY:	CODE
STATE:	CODE	COUNTY:	CODE
STATE:	CODE	COUNTY:	CODE

11. FORM PREPARED BY

NAME AND TITLE:
Martha L. Kusiak, Research Historian

ORGANIZATION Missouri State Park Board DATE April 6, 1970
State Historical Survey and Planning Office

STREET AND NUMBER:
P.O. Box 176, 1204 Jefferson Building

CITY OR TOWN: Jefferson City STATE Missouri CODE 24
65101

12. STATE LIAISON OFFICER CERTIFICATION

As the designated State Liaison Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service. The recommended level of significance of this nomination is:

National State Local

Name Joseph Jaeger, Jr.

Title Director, Missouri State Park Board, and Missouri State Liaison Officer

Date _____

NATIONAL REGISTER VERIFICATION

I hereby certify that this property is included in the National Register.

Chief, Office of Archeology and Historic Preservation

Date _____

ATTEST:

Keeper of The National Register

Date _____

SEE INSTRUCTIONS

NATIONAL REGISTER OF HISTORIC PLACES
INVENTORY - NOMINATION FORM

(Continuation Sheet)

STATE	
Missouri	
COUNTY	
Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

(Number all entries)

6.

OZARK IRON FURNACE STACK

Missouri State Historical Survey (state)

1969

Missouri State Park Board

P. O. Box 176

1204 Jefferson Building

Jefferson City, Missouri 65101

Code: 24

NATIONAL REGISTER OF HISTORIC PLACES
INVENTORY - NOMINATION FORM

(Continuation Sheet)

STATE	
Missouri	
COUNTY	
Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

(Number all entries)

7.

OZARK IRON FURNACE STACK

The following description is from an "on-sight" report of the "blowing in" of the Ozark Iron Works on June 10th, 1874.

. . .On the south and east sides of the furnace is the molding room, which is 150 feet long by 50 feet wide and 30 feet high (in the center). The top of the furnace is on the level of the top of the bluff at the edge, and over it is placed the boilers, which extend westward along the edge of the bluff. These and the weighing rooms and blast heating chamber are all under the same roof. The engine (137 horse-power) and the blowers are on a lower level, all founded on solid rock and enclosed by a substantial building. ("New Iron Furnace," Mines, Metals and Arts, June 25, 1874, p. 126.)

This same article further describes an incline railway which conveyed the ore to the crushing and weighing rooms which were located north of the furnace near the charcoal house. Water for the boiler was furnished by a spring about a half a mile back of the ridge. ("New Iron Furnace," Mines, Metals and Arts, June 25, 1874, p. 126.)

Located 310 feet northeast of the furnace is a two-story frame structure which was probably used as the boarding house for single men working at the iron works. It appears to have been originally "L-shaped" in plan, with later additions on the rear (north) side. (see accompanying photograph)

The remains of a two and one half story brick building, which burned on September 19, 1968, is located 510 feet east of the furnace stack. This building is presumed to have been the original Ozark Iron Works Store which served the community as a company store. (James Collection, Folders 635-947.)

The boarding house and brick store were remodeled for use as a dining room and lodge during past ownership. The area to the northeast of the furnace was used for recreational purposes. The furnace stack and stone pier were not restored at that time.

Presently, 1308 acres, which includes the furnace stack and accompanying structures, is owned by an individual interested in preserving and developing the area as a tourist attraction.

NATIONAL REGISTER OF HISTORIC PLACES
INVENTORY - NOMINATION FORM

(Continuation Sheet)

STATE	
Missouri	
COUNTY	
Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

(Number all entries)

8.

OZARK IRON FURNACE STACK

operation until December 1874. A series of difficulties in the operation of the furnace hampered the works until James was forced to declare bankruptcy in 1877. James then closed both the Ozark Iron Works and the Maramec Iron Works. He and his associates did not possess sufficient capital to revive the works during the depression which followed the panic of 1873.

In 1881 the property was purchased by a New York syndicate which remodeled and improved the furnace. (State Historical Society of Missouri, Historic Sites File: Phelps County.) It was named the Knotwell Furnace after N. L. Knotwell, the hotel keeper at Newburg, Missouri, and operated for one year (1883-1884).

The metal work was removed from the furnace in 1900 by Mr. R. F. Schumann of Rolla. (Arthur B. Cozzen, "The Iron Industry in Missouri," Missouri Historical Review, Vol. 36 (October 1941), pp. 48-60.)

NATIONAL REGISTER OF HISTORIC PLACES
INVENTORY - NOMINATION FORM

(Continuation Sheet)


STATE	
Missouri	
COUNTY	
Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

(Number all entries)

9.

OZARK IRON FURNACE STACK

3. "New Iron Furnace", Mines, Metals and Arts, a weekly journal devoted to Mine, Metallurgy, Manufactures, Technics, Engineering, Chemistry, Fine Arts and Markets, Vol. I. St. Louis, June 25, 1871, p. 126.
4. Norris, James D. Frontier Iron, The Maramec Iron Works, 1826-1876. Stevens Point, Wisconsin: Worzalla Publishing Company, 1964, pp. 163-172.
5. "Ozark Iron Works", The Rolla Express, Saturday, June 28, 1873.
6. Stevens, Walter B. Centennial History of Missouri (the Center State), One Hundred Years in the Union, 1820-1921, Illustrated, Vol. II. St. Louis: The S. J. Clarke Publishing Company, 1921, p. 367.



Latitude
 NW 37° 51' 58"
 NE 37° 51' 58"
 SW 37° 51' 58"
 SE 37° 51' 58"
 Longitude
 W 91° 55' 46"
 E 91° 55' 46"
 W 91° 55' 46"
 E 91° 55' 46"

Ozark Iron Furnace Stack

U.S.G.S. 7 1/2' Quadrangle
 "Newburg" (1950)
 Scale 1:24,000

Form 10-301
(July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES
PROPERTY MAP FORM

(Type all entries - attach to or enclose with map)

STATE	
Missouri	
COUNTY	
Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

SEE INSTRUCTIONS

1. NAME			
COMMON: Ozark Iron Furnace Stack			
AND/OR HISTORIC: Ozark Iron Works			
2. LOCATION			
STREET AND NUMBER:			
SW ¹ / ₄ , NW ¹ / ₄ , Section 21, Township 37N, Range 9W; SE ¹ / ₄ , NE ¹ / ₄ , Section 20, 37N, 9W			
CITY OR TOWN:			
Two miles west of Newburg on County Highway P, 1/2 mile north on dirt road			
STATE:	CODE	COUNTY:	CODE
Missouri	65550	Phelps	161
3. MAP REFERENCE			
SOURCE:			
Martha L. Kusiak, Missouri State Park Board, State Historical Survey			
SCALE: not to scale			
DATE: December, 1969			
4. REQUIREMENTS			
TO BE INCLUDED ON ALL MAPS			
1. Property boundaries where required.			
2. North arrow.			
3. Latitude and longitude reference.			

Form 10-301
(July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES
PROPERTY MAP FORM

(Type all entries - attach to or enclose with map)

STATE	
Missouri	
COUNTY	
Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

SEE INSTRUCTIONS

1. NAME			
COMMON: Ozark Iron Furnace Stack			
AND/OR HISTORIC: Ozark Iron Works			
2. LOCATION			
STREET AND NUMBER:			
SE $\frac{1}{4}$, NW $\frac{1}{4}$, Section 21, Township 37N, Range 9W; SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 20, 37N, 9W			
CITY OR TOWN:			
Two miles west of Newburg on County Highway P, $\frac{1}{2}$ mile north on dirt road			
STATE:	CODE	COUNTY:	CODE
Missouri	65550	Phelps	161
3. MAP REFERENCE			
SOURCE:			
U.S.G.S. 7 $\frac{1}{2}$ ' quadrangle Newburg			
SCALE: 1:21,000			
DATE: 1950			
4. REQUIREMENTS			
TO BE INCLUDED ON ALL MAPS			
1. Property boundaries where required.			
2. North arrow.			
3. Latitude and longitude reference.			



UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES

PROPERTY PHOTOGRAPH FORM

(Type all entries - attach to or enclose with photograph)

STATE	
Missouri	
COUNTY	
Phelos	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

SEE INSTRUCTIONS

1. NAME

COMMON: Ozark Iron Furnace Stack
AND/OR HISTORIC: Ozark Iron Works

2. LOCATION

STREET AND NUMBER:
SW¹/₄, NW¹/₄, Section 21, Township 37N, Range 9W; SE¹/₄, NE¹/₄, Section 20, 37N, 9W
CITY OR TOWN:
Two miles west of Newburg on County Highway P, 1/2 mile north on dirt road
STATE: Missouri CODE 65550 COUNTY: Phelos CODE 161

3. PHOTO REFERENCE

PHOTO CREDIT: Robert L. Elgin
DATE OF PHOTO: April, 1969
NEGATIVE FILED AT: Robert L. Elgin
Box 365, St. James, Missouri 65559

4. IDENTIFICATION

DESCRIBE VIEW, DIRECTION, ETC.

View to the northwest of the southeast corner of furnace stack. Note Gothic style casting arch on the front (east) side of the stack.



Name of Site: OSARK IRON FURNACE STAKE


Site Number

Photographer: MLKUSIAK

Date of Photo: July 18, 1961

View of Photo: Looking North,

Neg. Size 95 mm



NATIONAL REGISTER OF HISTORIC PLACES

PROPERTY PHOTOGRAPH FORM

(Type all entries - attach to or enclose with photograph)

STATE Missouri	
COUNTY Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

1. NAME

COMMON: Ozark Iron Furnace Stack
AND/OR HISTORIC: Ozark Iron Works

2. LOCATION

STREET AND NUMBER:

SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 21, Township 37N, Range 9W; SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 20, 37N, 9W

CITY OR TOWN:

Two miles west of Newburg on County Highway P, $\frac{1}{2}$ mile north on dirt road

STATE: Missouri	CODE 21	COUNTY: Phelps	CODE 161
--------------------	------------	-------------------	-------------

3. PHOTO REFERENCE

PHOTO CREDIT: Martha L. Kusiak, State Historical Survey, Missouri State Park Board

DATE OF PHOTO: July 18, 1969

NEGATIVE FILED AT: Missouri State Park Board, P.O. Box 176
1204 Jefferson Building, Jefferson City, Missouri 65101

4. IDENTIFICATION

DESCRIBE VIEW, DIRECTION, ETC.

View to the north of south side of the stone structure located 6 feet behind the furnace stack (at far right). The bent iron rods and holes in the stones on the fourth row from the top of structure indicate evidence of original frame structure which inclosed the furnace and stone structure behind.



NATIONAL REGISTER OF HISTORIC PLACES

PROPERTY PHOTOGRAPH FORM

(Type all entries - attach to or enclose with photograph)

STATE Missouri	
COUNTY Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

1. NAME

COMMON: Ozark Iron Furnace Stack

AND/OR HISTORIC: Ozark Iron Works

2. LOCATION

STREET AND NUMBER:

SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 21, Township 37N, Range 9W; SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 20, 37N, 9W

CITY OR TOWN:

Two miles west of Newburg on County Highway P, $\frac{1}{2}$ mile north on dirt road

STATE:

Missouri 65550

CODE

24

COUNTY:

Phelps

CODE

161

3. PHOTO REFERENCE

PHOTO CREDIT: Martha L. Kusiak, State Historical Survey, Missouri State Park Board

DATE OF PHOTO: July 18, 1969

NEGATIVE FILED AT:

Missouri State Park Board, P.O. Box 176

1204 Jefferson Building, Jefferson City, Missouri 65101

4. IDENTIFICATION

DESCRIBE VIEW, DIRECTION, ETC.

Interior view of the distance (2 feet) between the firebrick inwall (at left) and the interior wall of furnace stack (at right). Note uneven, rough cut of interior stone walls.

TOP



NATIONAL REGISTER OF HISTORIC PLACES

PROPERTY PHOTOGRAPH FORM

(Type all entries - attach to or enclose with photograph)

STATE	
Missouri	
COUNTY	
Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

1. NAME

COMMON: Ozark Iron Furnace Stack
AND/OR HISTORIC: Ozark Iron Works

2. LOCATION

STREET AND NUMBER:
SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 21, Township 37N, Range 9W; SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 20, 37N, 9W
CITY OR TOWN:
Two miles west of Newburg on County Highway P, $\frac{1}{2}$ mile north on dirt road
STATE: Missouri 65550 CODE 24 COUNTY: Phelps CODE 161


3. PHOTO REFERENCE

PHOTO CREDIT: Martha L. Kusiak, State Historical Survey, Missouri State Park Board
DATE OF PHOTO: July 18, 1969
NEGATIVE FILED AT: Missouri State Park Board, P.O. Box 176
1204 Jefferson Building, Jefferson City, Missouri 65101

4. IDENTIFICATION

DESCRIBE VIEW, DIRECTION, ETC.
Interior view of the firebrick inwall which originally lined the furnace walls. (inwall is the darker band in center of photograph)
Irregular shaped stone blocks are exposed where the firebrick inwall has collapsed.

TOP



NATIONAL REGISTER OF HISTORIC PLACES

PROPERTY PHOTOGRAPH FORM

(Type all entries - attach to or enclose with photograph)

STATE

Missouri

COUNTY

Phelps

FOR NPS USE ONLY

ENTRY NUMBER

DATE

1. NAME

COMMON: Ozark Iron Furnace Stack

AND/OR HISTORIC: Ozark Iron Works

2. LOCATION

STREET AND NUMBER:

S^W₄, N^W₄, Section 21, Township 37N, Range 9W; SE⁴, NE⁴, Section 20, 37N, 9W

CITY OR TOWN:

Two miles west of Newburg on County Highway P, 1/2 mile north on dirt road

STATE:

Missouri 65550

CODE

24

COUNTY:

Phelps

CODE

161

3. PHOTO REFERENCE

PHOTO CREDIT: Martha L. Kusiak, State Historical Survey, Missouri State Park Board

DATE OF PHOTO: July 18, 1969

NEGATIVE FILED AT: Missouri State Park Board, P.O. Box 176

1204 Jefferson Building, Jefferson City, Missouri 65101

4. IDENTIFICATION

DESCRIBE VIEW, DIRECTION, ETC.

Interior view looking up toward the top of the furnace stack. Note the smooth cut of the stones at this point in the structure.

TOP



NATIONAL REGISTER OF HISTORIC PLACES

PROPERTY PHOTOGRAPH FORM

(Type all entries - attach to or enclose with photograph)

STATE	
Missouri	
COUNTY	
Phelps	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE

SEE INSTRUCTIONS

1. NAME

COMMON: Ozark Iron Furnace Stack
AND/OR HISTORIC: Ozark Iron Works

2. LOCATION

STREET AND NUMBER:

SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 21, Township 37N, Range 9W; SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 20, 37N, 9W

CITY OR TOWN:

Two miles west of Newburg on County Highway P, $\frac{1}{2}$ mile north on dirt road

STATE:

Missouri 65550

CODE

24

COUNTY:

Phelps

CODE

101

3. PHOTO REFERENCE

PHOTO CREDIT: Robert L. Elgin

DATE OF PHOTO: April, 1960

NEGATIVE FILED AT:

Robert L. Elgin
Box 365, St. James, Missouri 65559

4. IDENTIFICATION

DESCRIBE VIEW, DIRECTION, ETC.

View to the northwest of south (front) facade of frame boarding house.

